

BGD 218/219 series - Automatic Film Applicators

BGD 218-219


Product Description

BGD 218/219 series - Automatic Film Applicators

BGD 218-219

We offer a full range of automatic film applicators, BGD 218-1 and BGD 218-2 with vacuum bed. Film applicator BGD 218-3 offers additional heating which can be used for highly viscous products. Our automatic film applicator BGD 219 with holding device has been designed with a glass bed as drawdown bed, and not - like the BGD218 - with a vacuum bed. The main use is to apply films on hard substrates, such as metal or glass.

Model	BGD 218/1	BGD 218/2	BGD 218/3	BGD 219
Method of fixing substrate	Vacuum adsorption			Clamp
Application Platform	Hard anodic oxidation aluminium with vacuum holes			Glass
Draw down bed size (mm)	360 x 250	490 x 250	360 x 250	400 x 220
Draw down vacuum bed size with holes (mm)	290 x 190	410 x 190	290 x 190	N/A
Max. Application Length (mm)	250	375	250	280
Adjustable Draw Down Speed	5mm/s~500mm/s		2mm/s~100mm/s / 5mm/s~500mm/s	
Carriage holder weight	500g x pcs (1kg or 1.25 kg is optional)			
Total power	370W		750W	50W
Temperature Range	-		RT+5°C~100°C	-
Temperature Uniformity	-		±5°C	-
Power Source	220V/50Hz			
Weight (kg)	40	46	42	25
Overall size, excluding vacuum pump LxWxH (mm)	500x345x340	635x345x340	500x345x340	550x320x340



BGD 218/219 series - Automatic Film Applicators

BGD 218-219

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development