


BGD 2210 Series Compressed non-asbestos cement panels

BGD 2210 Series Compressed non-asbestos cement panels

Product Description

Compressed non-asbestos cement panels comply with the latest standards in China: JC/T 412.1-2006 NAF (non-asbestos) H (high density) V grade technical requirements. The surface treatment involves immersion in water for one week (pH = 10), as per GB 9271, followed by polishing with #200 water sandpaper. This process eliminates complicated pretreatment work, making it easier for laboratory personnel and significantly improving work efficiency. To maintain consistent performance across all panels, Solvica employs the same specific formula and process for each production batch. We produce over 100,000 pieces in a single batch, all of which undergo strict inspection by our Quality Control (QC) department to ensure that performance fully meets standard requirements.



Standards

- JC/T 412.1-2006 NAF

Technical Specification

| | Dimensions LxWxH (mm) | Quantity (pcs/pack) |
|----------|----------------------------------|----------------------------|
| BGD 2210 | 150x70x6 | 200 |
| BGD 2211 | 200x150x6 | 250 |
| BGD 2212 | 250x150x6 | 250 |
| BGD 2213 | 300x200x6 | 500 |
| BGD 2214 | 430x150x6 | 500 |

BGD 2210 Series Compressed non-asbestos cement panels

BGD 2210 Series Compressed non-asbestos cement panels

| | | |
|--|--|--|
| | | |
|--|--|--|

BGD 2215

600x600x6

on request

BGD 2210 Series Compressed non-asbestos cement panels

BGD 2210 Series Compressed non-asbestos cement panels

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development