

Portable pH Meter -2.00~19.99 (0.01pH)

BGD 289

Product Description

BGD 289 Portable pH Meter -2.00~19.99 / 0.01pH

The most cost effective portable pH, suited for industrial and mining factories, power plant, water treatment project, environmental protection industry, etc, especially suited in field and on-site

Built-in microprocessor chips, intelligent functions such as automatic calibration, automatic temperature compensation, data storage, function set-up, self-diagnose information, automatic power-off and low voltage display.

Automatic identification of 13 pH standard calibration solutions, three options of standard buffer solutions: Europe and America series, NIST series and China series.

Able to set pH measurement modes of high purity water and pure water with ammonia.

Equipped with calibration solution and portable case and suited in field and on site.

Meter meets IP57 waterproof rating

Can store 200 groups data (Series number, measuring value measuring unit and temperature)



Technical Specification

Technical Parameters:

- Measuring Range: -2.00~19.99 pH;
- Resolution:0.01pH;
- Accuracy: ± 0.01 pH
- Stability: ± 0.01 pH/3h
- Temperature Compensation Range:0?~100?,automatically
- Power:Two AA batteries (1.5V x2)
- Size and weight: 120×65×31mm (L×W×H); 180g
- Package size and weight: 360×270×76mm (L×W×H); 1.6kg

Portable pH Meter -2.00~19.99 (0.01pH)

BGD 289

Main Technical Parameters

Standard kit includes:

- BGD 283 pH/mV meter (1 unit)
- Plastic pH three-in-one combination electrode (1 pc)
- pH standard buffer solution(pH4.00, pH7.00 and pH10.01)/50mL(3 bottles)
- AA batteries (2 pcs)

Ordering Information: BGD 289 Portable pH Meter

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development