

Digital Pull off Adhesion Tester BGD 500

Product Description

BGD 500 Digital Pull-off Adhesion Tester In order to perform satisfactorily, coatings must adhere to the substrates on which they are applied. There are three different adhesion test procedures to assess the resistance of paints to separate from the substrate. The cross cut test, also described as cross-hatch, uses a blade to cut through the coating to the substrate. At least two cuts are made that intersect at 90 degrees to get a right angle lattice pattern. The cross-cut area is observed for any adhesion failure. The second method to test the coating adhesion is using a stylus or loop that an increasing amount of weight is applied until the coating is removed from the substrate. The third method called pull-off adhesion, measures the amount of tensile stress to pull the coating off the substrate. A dolly is glued to the coating surface, after the glue is cured, a testing apparatus is attached to the loading fixture and aligned to apply tension perpendicular to the test surface. The force applied is gradually increased and monitored until either a plug of coating material is detached, or a specified value is reached.

BGD 500 Digital Pull-off Adhesion Tester is a portable, handoperated instrument which is used to measure the force required to pull a specified test diameter of coating away from its substrate using hydraulic pressure. The pressure is displayed on a digital LCD and represents the coating's strength of adhesion to the substrate.

It evaluates the adhesion (pull-off strength) of a coating by determining the greatest tensile pull-off force that it can bear before detaching. Breaking points, demonstrated by fractured surfaces, occur along the weakest plane within the system consisting of dolly, adhesive, coating layers and substrate.



Technical Specification

- Portable design, can be used anywhere.
- Built-in rechargeable lithium battery, no need any external power source.
- Selectable directly four different sizes dolly for different resolution and testing range
- Get the testing results from LCD directly.



Digital Pull off Adhesion Tester

- Includes all tools needed for testing
- Each PsiaTester's pressure system is calibrated to within 1% accuracy by NIST traceable load cells
- High-precise professional sensor ensures 0.01MPa resolution
- Self-aligning dollies ensure to get a reliable testing results for smooth or uneven surfaces.
- Supplied with calibration certificate
- Stores all test results includes Max. pull-off power, pull-off rate, dolly size and time automatically
- Two units (MPa and psi for selection and can be converted automatically.
- No software required, the PsiaTester also includes memory storage, when connecting the computer, the operator can read all data directly which is recorded during testing
- Showing pull-off rate allows users to monitor and adjust the pull speed according to different test requirements
- Waterproof, dustproof and shockproof design meets any harshest operating environment
- Strong plastic carrying case
- Two year warranty



Digital Pull off Adhesion Tester

Main Technical Parameters

- Dolly Size: 20mm (Standard); 10mm, 14 mm 50mm (Optional)
- Resolution 0.01MPa 1psi
- Accuracy ±1% Full scale
- Max. Pull-off Pressure:
 - Φ 10mm dolly: 0-80MPa
 Φ14mm dolly: 0-40MPa
 Φ20mm dolly: 0-20MPa
 - ° Ф50mm dolly: 0-3.5MPa
- Power Built-in rechargeable lithium battery, and standard configuration charging adapter.
- Adhesion Tester Size 360mm×75mm×115mm L x W x H
- Adhesion Tester Weight 3KG
- Packing List
 - Adhesion Tester with digital display
 - ° 20mm Aluminum test dollies 20 pcs
 - ° Cutting toll for 20mm dollies
 - $^{\circ}$ 3M Adhesive and glue gun
 - Micro-USB cable
 - Operation Manual
 - ° Carrying case

Ordering Information:

- BGD 500: Digital Pull-off Adhesion Tester
- BGD 1520: 10mm Dolly 10 pcs/package
- BGD 1521: 14mm Dolly 10 pcs/package
- BGD 1522: 20mm Dolly 10 pcs/package
- BGD 1523: 50mm Dolly 10 pcs/package
- BGD 1524: Dolly-base for 50 mm dollies
- BGD 1525: Cutting Tool for 50mm dollies
- BGD 1526: Cutting Tool for 10mm, 14mm and 20mm dollies)
- BGD 1527: 3M Adhesive

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we



Digital Pull off Adhesion Tester BGD 500

specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development