

## **CS-17 Taber Abrading Wheels**

### **CS-17**

#### **Product Description**

---

CS-17 Calibrase - Compared to the CS-10 wheel, the CS-17 produces a harsher abrasion. Normally operated using loads of 500 or 1000 grams, this wheel is useful for testing materials such as anodized aluminum, powder coatings, ceramics, plastics and enamels. Reface with the S-11 refacing disc.

**WARNING:** *Because of possible deterioration, Calibrase wheels should NOT be used after the expiration date printed on the wheel.*



#### **Technical Specification**

---

CS-17 Calibrase- Compared to the CS-10 wheel, the CS-17 produces a harsher abrasion. Normally operated using loads of 500 or 1000 grams, this wheel is useful for testing materials such as anodized aluminum, powder coatings, ceramics, plastics and enamels. Reface with the S-11 refacing disc.

Calibrase® - A resilient wheel composed of resilient binder and aluminum oxide or silicon carbide abrasive particles. Frequently used to evaluate rigid specimens.

## **CS-17 Taber Abrading Wheels**

### **CS-17**

#### **Disclaimer**

---

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development