


Silicon Carbide Grain - 50 lb. pail

SLV1371

Product Description

Silicon Carbide Grain for the BGD 529 falling sand abrasion tester

This is the common abradant used for ASTM D968 (Method B) – Standard Test Methods for Abrasion Resistance of Organic Coatings by Falling Abrasive



Standards

ASTM D-968 (Method B)

Technical Specification

- Silicon Carbide Grain
- The grading requirements correspond to No. 16 grit in accordance with ANSI B74.12
- Weight: 50 lb. (22.68kg) bags or pails

Silicon Carbide Grain - 50 lb. pail

SLV1371

Main Technical Parameters

Ordering information: SLV1371 - Silicon Carbide Grain

Disclaimer

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development